

**Listing Of the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1-38. (Canceled).

39. (Currently Amended) A method for providing communication among a client system, server system and an electronic communications network, the client system including a Central Processor Unit (CPU), volatile working memory associated with the CPU, and a communications interface, the client system further running client software for managing the communications between the client system and the electronic communications network, the server system running server software for managing communications between a plurality of client systems and the electronic communications network, the method comprising:

if a previous session using said client software completed unsuccessfully:

offering a user an option of either continuing or restoring system settings of said client system;

receiving from said user an indication responsive to said offering; and

determining whether to restore said system settings based at least in part on said indication;

specifying a billing preference, said billing preference chosen from a predefined set of

billing options, said billing options including at least one technique for making a

monetary payment;

transmitting said billing preference to the server system;

receiving a billing approve/reject signal from the server system; and

conducting two-way communications between the electronic communications network and the client system via the server system if an approve signal is provided in said receiving.

40. (Previously Presented) The method of claim 39, wherein the client software is missing one or more components necessary for communications with the electronic communications network and the method further includes the following performed prior to said specifying: receiving said one or more missing components from the server system; and installing said one or more missing components.

41. (Previously Presented) The method of claim 39, wherein the client software is missing one or more components necessary for communications with the electronic communications network and the method further includes the following performed prior to said specifying: searching the client system for install files containing any of said one or more missing components; installing any missing components found in said searching; receiving any additional missing components from the server system; and installing said additional missing components.

42. (Previously Presented) The method of claim 39, wherein the client software has one or more outdated components and the method further includes the following performed prior to said specifying: receiving a current version corresponding to each of said outdated components from the server system; and

installing said current version corresponding to each of said outdated components.

43. (Previously Presented) The method of claim 39, further including the following performed prior to said specifying if the client system has proper network configuration and registry settings to accomplish communication with the electronic communications network:
- storing said settings in the volatile working memory;
- requesting assignment of an IP address from the server system; and
- receiving said IP address from the server system.
44. (Currently Amended) The method of claim 39, further including periodically sending a periodic connect signal to the server system ~~confirming~~ to determine a connection status of ~~that the client system is still connected.~~
45. (Previously Presented) The method of claim 39, wherein said billing approve/reject signal is a temporary approval signal.
46. (Currently Amended) A method for providing communication among a client system, a server system, and an electronic communications network, the client system running client software for managing the communications between the client system and the electronic communications network, the server system running software for managing communications between a plurality of client systems and the electronic communications network, the method comprising:

initiating communication with said client system upon said client system completing

initialization wherein if a previous session using said client software completed

unsuccessfully, said client system:

offers a user an option of either continuing or restoring system settings of said client

system;

receives from said user an indication responsive to said offering; and

determines whether to restore said system settings based at least in part on said

indication;

providing a set of billing options to the client system, said billing options including at least

one technique for making a monetary payment;

receiving a billing preference from the client system, said billing preference chosen from

said billing options;

transmitting a billing approve/reject signal to the client system; and

conducting two-way communication between the electronic communications network and

the client system via the server system if an approve signal is provided in said

transmitting.

47. (Previously Presented) The method of claim 46, further comprising assigning an IP address to the client system prior to said providing.

48. (Previously Presented) The method of claim 46, wherein the client system has client software and the method further comprises the following performed prior to said providing:

determining if the client software on the client system is missing any components necessary for communications with the electronic communications network;  
receiving information from the client system as to whether install files exist for said missing components in the client system; and  
providing to the client system any additional missing components that do not have install files on the client system.

49. (Previously Presented) The method of claim 46, wherein the client system has client software and the method further comprises the following performed prior to said providing:  
determining if the client software on the client system has any outdated components; and  
providing to the client system a current version corresponding to each of said outdated components.

50. (Previously Presented) The method of claim 46, further including performing the following prior to said providing if the client system has proper network configuration and registry settings to accomplish communication with the electronic communications network:  
receiving a request for assignment of an IP address from the client system;  
assigning an IP address to the client system; and  
forwarding said IP address to the client system.

51. (Previously Presented) The method of claim 46, wherein a plurality of client systems are in communication with the server system and the method further comprises:

maintaining a database tracking identifying information for each of said client systems in communication with the server system; and

for each of said plurality of client systems, recording in said database billing information for each respective client system and data representing an amount of monetary charges accumulated by each of said respective client systems.

52. (Previously Presented) The method of claim 51, wherein said data representing said amount of monetary charges includes data representing connect time.

53. (Previously Presented) The method of claim 51, further comprising:  
recording data representing a total amount of monetary charges for each respective client system following disconnection of the client system;  
transmitting said total amount of monetary charges to a network management system; and  
processing account billing corresponding to the total amount of monetary charges in the network management system.

54. (Previously Presented) The method of claim 46, further comprising:  
receiving a periodic connect signal from the client system confirming that the client system is still connected;  
providing a clock signal;  
determining if said periodic connect signal is received from the client system within a predetermined period based on said clock signal;

setting a disconnect parameter if it is determined that said periodic connect signal has not been received from the client system within said predetermined period.

55. (Currently Amended) A method for providing communication among a client system, a server system, and an electronic communications network, the client system running client software for managing the communications between the client system and the electronic communications network, the server system running software for managing communications between a plurality of client systems and the electronic communications network, the method comprising:

initiating communication with said client system upon said client system completing

initialization wherein if a previous session using said client software completed

unsuccessfully, said client system:

offers a user an option of either continuing or restoring system settings of said client

system;

receives from said user an indication responsive to said offering; and

determines whether to restore said system settings based at least in part on said

indication;

providing a set of billing options, said billing options including at least one technique for making a monetary payment;

receiving a billing preference from the client system, said billing preference chosen from said billing options;

sending an approval inquiry to a remote approval system;

sending a temporary approval signal from the server system to the client system before an approval signal is received by the server system from the remote approval system; and conducting two-way communications between the electronic communications network and the client system via the server system.

56. (Previously Presented) The method of claim 55, further comprising:

receiving a rejection signal from the remote approval system;  
transmitting a rejection signal from the server system to the client system; and  
discontinuing two-way communications with the client system.

57. (Previously Presented) The method of claim 55, further comprising:

sending a rejection signal to the client system; and  
receiving additional billing information from the client system.

58. (Currently Amended) A client system for communicating with an electronic communication network via a server system, the client system comprising:

a central processing unit (CPU);  
volatile working memory associated with said CPU;  
a communications interface coupled to said CPU and volatile working memory; and  
client software coupled to said CPU, volatile working memory, and communications interface, said client software configured for:

if a previous session using said client software completed unsuccessfully:



offering a user an option of either continuing or restoring system settings of said client system;

receiving from said user an indication responsive to said offering; and

determining whether to restore said system settings based at least in part on said indication;

specifying a billing preference, said billing preference chosen from a predefined set of billing options, said billing options including at least one technique for making a monetary payment;

transmitting said billing preference to the server system;

receiving a billing approve/reject signal from the server system; and

conducting two-way communications between the electronic communications network and the client system via the server system if an approve signal is provided in said receiving.

59. (Previously Presented) The client system of claim 58, wherein the client software is missing one or more components necessary for communications with the electronic communications network and the client software is further configured to perform the following prior to said specifying:

receiving said one or more missing components from the server system; and

installing said one or more missing components.

60. (Previously Presented) The client system of claim 58, wherein the client software is missing one or more components necessary for communications with the electronic communications

network and the client software is further configured to perform the following prior to said specifying:

searching the client system for install files containing any of said one or more missing components;

installing any missing components found in said searching;

receiving any additional missing components from the server system; and

installing said additional missing components.

61. (Previously Presented) The client system of claim 58, wherein the client software has one or more outdated components and the client software is further configured to perform the following prior to said specifying:

receiving a current version corresponding to each of said outdated components from the server system; and

installing said current version corresponding to each of said outdated components.

62. (Previously Presented) The client system of claim 58, wherein the client software is further configured to perform the following prior to said specifying if the client system has proper network configuration and registry settings to accomplish communication with the electronic communications network:

storing said settings in the volatile working memory;

requesting assignment of an IP address from the server system; and

receiving said IP address from the server system.

63. (Currently Amended) The client system of claim 58, wherein the client software is further configured for periodically sending a periodic connect signal to the server system ~~confirming to determine a connection status of that~~ the client system ~~is still connected~~.
64. (Previously Presented) The client system of claim 58, wherein said billing approve/reject signal is a temporary approval signal.
65. (Currently Amended) A server system for facilitating communications between a client system and an electronic communication network comprising:  
a processor; and  
software for managing communications between a plurality of client systems and the server system, said software configured for:  
initiating communication with said client system upon said client system completing initialization wherein if a previous session using said client software completed unsuccessfully, said client system:  
offers a user an option of either continuing or restoring system settings of said client system;  
receives from said user an indication responsive to said offering; and  
determines whether to restore said system settings based at least in part on said indication;  
providing a set of billing options to the client system, said billing options including at least one technique for making a monetary payment;

receiving a billing preference from the client system, said billing preference chosen from said billing options;  
transmitting a billing approve/reject signal to the client system; and  
conducting two-way communication between the electronic communications network and the client system via the server system if an approve signal is provided in said transmitting.

66. (Previously Presented) The server system of claim 65, wherein said software is further configured for assigning an IP address to the client system prior to said providing.
67. (Previously Presented) The server system of claim 65, wherein the client system has client software and said software on the server system is further configured to perform the following prior to said providing:  
determining if the client software on the client system is missing any components necessary for communications with the electronic communications network;  
receiving information from the client system as to whether install files exist for said missing components in the client system; and  
providing to the client system any additional missing components that do not have install files on the client system.
68. (Previously Presented) The server system of claim 65, wherein the client system has client software and said software on said server system is further configured to perform the following prior to said providing:

determining if the client software on the client system has any outdated components; and  
providing to the client system a current version corresponding to each of said outdated  
components.

69. (Previously Presented) The server system of claim 65, wherein said software is further  
configured to perform the following prior to said providing if the client system has proper  
network configuration and registry settings to accomplish communication with the electronic  
communications network:

receiving a request for assignment of an IP address from the client system;

assigning an IP address to the client system; and

forwarding said IP address to the client system.

70. (Previously Presented) The server system of claim 65, wherein a plurality of client systems  
are in communication with the server system and said software is further configured for:  
maintaining a database tracking identifying information for each of said client systems in  
communication with the server system; and

for each of said plurality of client systems, recording in said database billing information for  
each respective client system and data representing an amount of monetary charges  
accumulated by each of said respective client systems.

71. (Previously Presented) The server system of claim 70, wherein said data representing said  
amount of monetary charges includes data representing connect time.

72. (Previously Presented) The server system of claim 70, wherein said software is further configured for:
- recording data representing a total amount of monetary charges for each respective client system following disconnection of the client system;
  - transmitting said total amount of monetary charges to a network management system; and
  - processing account billing corresponding to the total amount of monetary charges in the network management system.
73. (Previously Presented) The server system of claim 65, wherein said software is further configured for:
- receiving a periodic connect signal from the client system confirming that the client system is still connected;
  - providing a clock signal;
  - determining if said periodic connect signal is received from the client system within a predetermined period based on said clock signal;
  - setting a disconnect parameter if it is determined that said periodic connect signal has not been received from the client system within said predetermined period.
74. (Currently Amended) A server system for facilitating communications between a client system and an electronic communication network comprising:
- a processor; and
  - software for managing communications between a plurality of client systems and the server system, said software configured for:

initiating communication with said client system upon said client system completing initialization wherein if a previous session using said client software completed unsuccessfully, said client system:  
offers a user an option of either continuing or restoring system settings of said client system;  
receives from said user an indication responsive to said offering; and  
determines whether to restore said system settings based at least in part on said indication;  
providing a set of billing options, said billing options including at least one technique for making a monetary payment;  
receiving a billing preference from the client system , said billing preference chosen from said billing options;  
sending an approval inquiry to a remote approval system;  
sending a temporary approval signal from the server system to the client system before an approval signal is received by the server system from the remote approval system; and  
conducting two-way communications between the electronic communications network and the client system via the server system.

75. (Previously Presented) The server system of claim 74, wherein said software is further configured for:  
receiving a rejection signal from the remote approval system;  
transmitting a rejection signal from the server system to the client system; and

discontinuing two-way communications with the client system.

76. (Previously Presented) The server system of claim 74, wherein said software is further configured for:

sending a rejection signal to the client system; and

receiving additional billing information from the client system.

77. (Currently Amended) A program storage device readable by a machine, tangibly embodying a program of instructions executable by the machine to perform a method for providing communication among a client system, server system, and an electronic communications network, the client system including a Central Processor Unit (CPU), volatile working memory associated with the CPU, and a communications interface, the client system further running client software for managing the communications between the client system and the electronic communications network, the server system running server software for managing communications between a plurality of client systems and the electronic communications network, the method comprising:

if a previous session using said client software completed unsuccessfully:

offering a user an option of either continuing or restoring system settings of said client system;

receiving from said user an indication responsive to said offering; and

determining whether to restore said system settings based at least in part on said indication;



specifying a billing preference, said billing preference chosen from a predefined set of  
billing options, said billing options including at least one technique for making a  
monetary payment;  
transmitting said billing preference to the server system;  
receiving a billing approve/reject signal from the server system; and  
conducting two-way communications between the electronic communications network and  
the client system via the server system if an approve signal is provided in said receiving.

78. (Currently Amended) A program storage device readable by a machine, tangibly embodying a program of instructions executable by the machine to perform a method for providing communication among a client system, a server system, and an electronic communications network, the client system running client software for managing the communications between the client system and the electronic communications network, the server system running software for managing communications between a plurality of client systems and the server system through an electronic communications network, the method comprising:  
initiating communication with said client system upon said client system completing initialization wherein if a previous session using said client software completed unsuccessfully, said client system:  
offers a user an option of either continuing or restoring system settings of said client system;  
receives from said user an indication responsive to said offering; and  
determines whether to restore said system settings based at least in part on said indication;

providing a set of billing options to the client system, said billing options including at least one technique for making a monetary payment;

receiving a billing preference from the client system, said billing preference chosen from said billing options;

transmitting a billing approve/reject signal to the client system; and

conducting two-way communication between the electronic communications network and the client system via the server system if an approve signal is provided in said transmitting.

79. (Currently Amended) A program storage device readable by a machine, tangibly embodying a program of instructions executable by the machine to perform a method for providing communication among a client system, a server system, and an electronic communications network, the client system running client software for managing the communications between the client system and the electronic communications network, the server system running software for managing communications between a plurality of client systems and the server system through an electronic communications network, the method comprising:
- initiating communication with said client system upon said client system completing initialization wherein if a previous session using said client software completed unsuccessfully, said client system:
- offers a user an option of either continuing or restoring system settings of said client system;
- receives from said user an indication responsive to said offering; and

determines whether to restore said system settings based at least in part on said indication;

providing a set of billing options, said billing options including at least one technique for making a monetary payment;

receiving a billing preference from the client system, said billing preference chosen from said billing options;

sending an approval inquiry to a remote approval system;

sending a temporary approval signal from the server system to the client system before an approval signal is received by the server system from the remote approval system; and

conducting two-way communications between the electronic communications network and the client system via the server system.

80. (Currently Amended) An apparatus for providing communication among a client system, server system, and an electronic communications network, the client system including a Central Processor Unit (CPU), volatile working memory associated with the CPU, and a communications interface, the client system further running client software for managing the communications between the client system and the electronic communications network, the server system running server software for managing communications between a plurality of client systems and the electronic communications network, the apparatus comprising:

means for, if a previous session using said client software completed unsuccessfully:

offering a user an option of either continuing or restoring system settings of said client system;

receiving from said user an indication responsive to said offering; and

determining whether to restore said system settings based at least in part on said indication;

means for specifying a billing preference, said billing preference chosen from a predefined set of billing options, said billing options including at least one technique for making a monetary payment;

means for transmitting said billing preference to the server system;

means for receiving a billing approve/reject signal from the server system; and

means for conducting two-way communications between the electronic communications network and the client system via the server system if an approve signal is provided in said receiving.

81. (Currently Amended) An apparatus for providing communication among a client system, a server system, and an electronic communications network, the client system running client software for managing the communications between the client system and the electronic communications network, the server system running software for managing communications between a plurality of client systems and the server system through an electronic communications network, the apparatus comprising:

means for initiating communication with said client system upon said client system

completing initialization wherein if a previous session using said client software

completed unsuccessfully, said client system:

offers a user an option of either continuing or restoring system settings of said client system;

receives from said user an indication responsive to said offering; and

determines whether to restore said system settings based at least in part on said indication;

means for providing a set of billing options to the client system, said billing options

including at least one technique for making a monetary payment;

means for receiving a billing preference from the client system, said billing preference

chosen from said billing options;

means for transmitting a billing approve/reject signal to the client system; and

means for conducting two-way communication between the electronic communications

network and the client system via the server system if an approve signal is provided in said transmitting.

82. (Currently Amended) An apparatus for providing communication among a client system, a server system, and an electronic communications network, the client system running client software for managing the communications between the client system and the electronic communications network, the server system running software for managing communications between a plurality of client systems and the server system through an electronic communications network, the apparatus comprising:

means for initiating communication with said client system upon said client system

completing initialization wherein if a previous session using said client software

completed unsuccessfully, said client system;

offers a user an option of either continuing or restoring system settings of said client system;

receives from said user an indication responsive to said offering; and

determines whether to restore said system settings based at least in part on said indication;

means for providing a set of billing options, said billing options including at least one

technique for making a monetary payment;

means for receiving a billing preference from the client system , said billing preference

chosen from said billing options;

means for sending an approval inquiry to a remote approval system;

means for sending a temporary approval signal from the server system to the client system

before an approval signal is received by the server system from the remote approval system; and

means for conducting two-way communications between the electronic communications

network and the client system via the server system.